Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.81

CLINT McDADE & SONS

LIBRARY
RECEIVED

MAR 25 1948

U.S. Department of Agriculture

Rivermont Orchids

Telephone 8-2313 🛷 1012 James Boulevard 🤝 SIGNAL MOUNTAIN, TENNESSEE 8-2615

March 1948

OFFERING #2

SEEDLINGS IN COMMUNITY AND INDIVIDUAL POTS

Explanation of Policy - Please read carefully.

PARENTAGE FORMS. Parentage forms will be furnished without charge with the purchase of any of our hybrid seedlings. These forms give the complete ancestry of the hybrid, and provides the customer with a convenient reference to the parentage of Rivermont Hybrids.

SEEDLINGS IN COMMUNITY POTS. Our hybrid seedlings are planted in communities of approximately 5 to 15 plants per pot. The plants are approximately two years old from seed and are in need of transplanting within three months. The price shown on the offering is the price per plant. Since they are in communities we cannot accept an order for less than 10 plants of any one cross. We can only approximate your order since it is not always possible to find a pot containing exactly the same number of plants you may request.

SEEDLINGS IN INDIVIDUAL POTS. These seedlings are in individual pots and they may be purchased in any quantities unless purchase limitations are specified.

SUBSTITUTIONS. We would like to have our customers give us a second choice to be sent in the event we are sold out of plants of their first choice. No substitutions of a different cross are made unless authorized.

BACK ORDERS. In the event that we are permanently sold out of a cross when your order is received you will be advised. If a second choice is specified, it will be shipped. If we are temporarily sold out of a cross you request, your order will be back ordered and the plants shipped when they are ready.

PAYMENT. Please DO NOT include payment with your order. Payment should be made upon receipt of our invoice or upon acknowledgment of your order. Prices shown are in U.S. dollars F.O.B. Chattanooga.

SHIPMENTS. U. S. shipments will be made by Railway Express unless otherwise requested. All foreign shipments will be sent by Air Mail or Air Express depending on weight, unless otherwise requested.

FIBRE POTS. For the benefit of our foreign customers we are prepared to ship your plants in fibre pots without any extra charge. This will result in saving of from \$0.25 to \$0.50 per pot on mail or express charges. The plants should be reported into clay pots within about 2 or 3 weeks. Plants will be shipped in clay pots unless otherwise requested.

Rivernent Daliele

Idepton 6.2313 co 1012 Lance Footsend co CIGNAL ISSUITAIN, TERRESEE

March Isan

OFFICIALLY DELL

STOR ANDERVALLE CHA PERSONNER MI SOMETHING

Anderston of Policy - Place, rest description

I-MENAGES FIRST. Precontage forms will be furnic ed without charge with the prichase of any vi our ayorid consilings. These forms give the tampiets areaster of the brottle, and provide the customer will a convenient resonance to the perecise of his precise of h

SENIO PICE IN COLUMNITION OUT by beld sendings or pleated in communities of approximately of the pleate yet pot. The plants are no registrately two yet, so at a from and that out on in need of transplanting within three poets. The price so we are on the effecting is the price yet plant. Here they are in communities message econe to court for the set that is plants at any one cross. We describe the your order minor it is not stone always plants at any one containing exactly the mane marker of plants was any request.

Stratikes in It can be to Those enectings in a land which pris and they may

and of earlies and a second property of the second control of the second shortes to be second shortes and an a second shortes of the second se

PAGE ORDERS. La la vent bluk we are permissing sold out of occan when your ordir is rover of your tid semistant. It a request their in specified, it will be shipped. If so are the protecting role of a coper you region, Tour order will be used erough out the places of the characteries are nearly.

Profittly To supe 13 1900 project projects ofte your order. I your stored he made shown the form of the ten or again administrate of your order. Dutes shown are in U. 1. soliest Fully. Carternoon.

of the state of the content of the content of the content of the state of the state

TIE E FUTE. For the tentit of our Torong unitement we are prepared to dily your plants in riore pots without any extra anarys. Take tell result in saving of from 10.25 tr 10.50 per pet on mail or express charans. The thrust should be repetived and on the petit of t

SEEDLINGS IN SINGLE POTS

Cattleyas and Laeliocattleyas

		OCCUPATION OF STREET					
CROSS		LENGTH	POT SIZE	PRICE PER PLANT			
X-100	LC. JANE DANE, alba x C. GIGAS, F.M.B.	4½"-5½"	3" 21."	6.00 4.50			
	This summer flowering white with colored throat gained high popularity when offered previously. The parentage of Lc. Jane Dane is Lc. Britannia, alba x Lc. President Wilson, alba.						
R-435	C. MINNEHAHA, F.C.C. x C. RITA SLADIEN	42"-52"	3n 21.n	7.50			
	Fine fall pure whites are expected from the of C. Minnehaha blooms in December, being C. Trianae, alba. Its flowers have broad ruffled. C. Rita Sladden, (C. Mme. Leten x C. Snowd white of good reputation.	nis cross. a cross of sepals and	The F.C.C. C. Lady Ro petals. T	variety wena and he lip is			
R-437	C. CLEMENTINE GOLDFARB & C. RITA SLADDFN	4½" - 5½"	3"	7.50			
	This pure white is a companion cross to R-435 above. The same C. Rita Sladden was used for each, but this cross is expected to flower in late summer and early fall, since C. Clementine Goldfarb (C. Cybele, alba x C. Snowdon) is much earlier than C. Minnehaha.						
X-101	C. HARDYANA, alba x LC. JANE DANE	$3\frac{1}{2}$ " - $4\frac{1}{2}$ "	2111	6.00			
	Lc. Jane Dane is a fine fall white with colored lip. Crossed with C. Hardyana, alba, its seealings will make fine summer whites with colored lip.						
R-584	BLC. MONORA x C. MOSSIAE		1 3/4"	2.25			
	Blc. Monora (C. Trianae, var. Grand Monarch x Blc. Eudora) Blc. Monora flowers in January. Its appearance is not that of a Brasso; but that of a large well shaped intensely colored Cattleya. These seedlings will provide good lavender blooms during February and March.						
R-585	C. MOSSIAE WAGNERI x C. MINNEHAHA, F.C.C.		1 3/4"	2.50			
	The albino type of C. Mossiae known as C. type of C. Mossiae, blooming in May or Jur						

C. MOSSIAE x C. TRIANAE, Grand Monarch 1 3/4" 2.00

blooms in December. This mating combines two parents of fine form to

give pure whites in late winter and early spring.

R-601

C. Trianae, Grand Monarch has large dark flowers with a dark labellum. A good type of C. Mossiae was employed in re-making this cross, C. Trimos, which gives lavender flowers on vigorous plants during February and March.

STORINGS IN SIMOLT POTS

Catalegue und lastingentalayes

	inkan .			
6,00	76	13.03		
			A	
	rgog duld ber	throat gain	Larolno dain esim, adirecola romam ain'i	
.0.7	of energy am	and to spi	SUSTEM SEE STREET STREET STREETS AND THE VET	
			entities also a last finition, a	
		ed a er sa	N. HINNESSTON, F.S. C. ETCL STALL STATES	353.42
		1000	STATES AND	
		sown addi	live full pure whites we expected from t	
hara war	VEST TERRET OF		MALAG , TECHNOLOU AL BINCOLO ALMONOMICA . V . 14	
81 :11 01	potria. Th		The state of the second state of the second state of	
esig Es		Le si (non	C. Ed to Bladder, (J. 150s, Leven r d. 520s	
			word things room to adjust	
	mg mg	nga - nga	OR CLEARING SOCIETIES & O. 1974 SLAIDEN	7E-437
adv D Bl			This pure white is a something erose to a dreaden was are each, has this erose summer and early full, since t. Or mention to manual estimates their C. Showcol is much estimate their C. Showcol is much estimate their C. Showcol	
6,00	15	190 - 195	C. Listinska, also z po. Jai'n talir	
than do	in besterd Ath. bottom	ine sugmer	Lo. Jenn Dono is a fine Tall white with a Hondyson, alon, dts seedlings st. 1 mate fine 110.	
6818	1 3/4"	. who train	ALC: MARIOLE V O. MCCOLAS	Net -11
	o in this to	armice is n	Min. Morors (C. vilence, ver. Grand Morest Dic. Monors Thorors in Jonasty. The appe Brayes; but ther of a large well shaped t Taose surdings will provide good lavende and berich.	
2.50			O. MUSSTAR MEMBER & C. MINISTER, F.C.C.	

nois with a different to the same to the s

C. Trionge, thread Manarch has large that Tlayers with a dark lobellum. A good type of C. Honsics was exployed in remarking this cross, C. Trimos, which sives loveness thought on vigorous plants during Farmery and March.

C. EUCHARIS x C. DECEMBER SNOW R-608

1 3/4" 2.25 .

C. Eucharis, (C. Cowaniae x C. Mossiae Wagneri) is a May flowering pure white with heavy petals and sepals. The lip is white with yellow center. C. December Snow, (C. Edithiae x C. Trianae, alba) is December flowering with large petals and sepals. The lip is white with a yellow center. The flowering of this pure white will peak in February.

R-617 C. ESTELLE, alba x C. MINNEHAHA, F.C.C. 1 3/4"

2.50

This is a companion cross to R-585 and is expected to yield flowers of the same quality and season. The May flowering C. Estelle employed is C. Cowianiae x C. Edithiae. To provide fine pure whites in late winter. A most vigorous grower.

CYMBIDIUMS

POT SIZE PRICE

R-15 CYM. RALPH SANDER x CYM. CAPRICE 411 - 5"

12.00

Unflowered seedlings to bloom in one or two years. A few have flowered with fine form and red and orange-red casts. These plants are newly repotted and established. They are not of a size which would be indicated by pot size.

R-445 CYM. SUNRISE x CYM. CERES, F. J. Hanbury, F.C.C. 3311

9.00

These plants have two or more seedling bulbs. Leaf growth is heavy and the plants are fine. This cross is expected to be dark and colorful.

SEEDLINGS IN COMMUNITY POTS

PRICE PER PLANT

C. KILNASTIANA SANDERAE x C. NUTLEY, alba R-644 Spring blooming white with colored lip. 1.50

- C. Kienastiana (C. Dowiana x C. Luddemanniana). A summer blooming plant having flowers of medium heavy substance. Petals and sepals are cream white with a ruffled edged crimson lip and large golden eyes.
- C. Nutley, alba (C. Harold x C. Hardyana), one of the better known spring blooming whites with colored lip.
- C. DIONYSIUS, alba x LC. HASSALLII, alba R-657 1.50 Free flowering summer blooming white with colored lip. C. Dionysius, alba (C. Fabia x C. gigas, F.M.B.) An August blooming plant having large well shaped blooms of good form and texture. This plant produced 25 flowers over the last 5 year period and had 5 flowers on one spike during one year.

R-608 O. EUCHARIS N.O. INCHISIN THO

88.3 MA/8 1

C. Euchards, (C. Cowantes x C. Monston Vegneri) is a May Monstan pure white with heavy petals and sepals. The Asp is white with yellow santer. C. Lesenber Snow, (C. Edithics x C. Triune, sibal is included ficularing with large potric and sepals. The Map is white with a paint of this pure white will most in Sebautry.

R-617 C. ISTILLE, albe E.C. MITTERSHA, P.C.C

Told is comparing end against the New Playering C. Entella employed is C. Cowigilia z C. Edithia. To provide the pure white in late where A most vicesons enough.

CAMBI DILIMS

POT STAR PRINT

R-15 CAL RAISH SASSER X CELL CARRICK

Vallowered specifics to bloom in one or two years. A few have blowered with fine form on tree and crack. These pints are notly to-posted and octavished. They use not of a cira which would be indicated by pot size.

B-445 CMI SUMMISE & CMI OFFEE, F. J. Honosty, F.C.O. Sin 9.00

These plants have two or more seedling bulks. Los grants are colored.

eros valuation in centraline

H-SAA C. HINASTIANA SANDERAE z C. NUTERY, albe

O. Klamestiana (C. Dowiens x C. Inddemenniana). A sugger blooding plant being flowers of medium beavy substance. Potels and sepals are cross white with a ruffled segod orimion lip and large

C. Matley, . dbm (C. Herold x D. Heroyana), one of the octtor known

H-667 C. MONYSIUS, alba'x IC. HACSMALI, alba
Pres flowering summer blooming white with colored lip.

C. Monysius, alba (C. Fabla x C. gigns, F.M.B.) As suggest blooming plant having large well shaped blooms of good form and texture. This plant produced 85 flowers over the last 5 year priod and had 5 flowers

Lc. Hassallii (Lc. Britannia x C. gigas). An August blooming plant having large blooms of good form and heavy texture. The petals and sepals are pure white with long white lip having a deep purple tip. This is also a free flowering plant known to have 4 flowers on one spike.

- R-675 C. SNOWSONG, var. Rivermont x C. CELIA, var. Rivermont

 A good free flowering white of exceptional texture blooming in the fall.
 - C. Snowsong (C. Loddigesii x C. Snowdon). A free flowering small white of waxy texture and very good form. Pure white petals, sepals and ruffled lip with a golden throat, known to have 5 flowers with $5\frac{1}{2}$ " spread on one spike.
 - C. Celia (C. Harrisoniana x C. Lady Veitch), pure white with a canary yellow throat. This flower has exquisite form. The petals are so broad they are almost round.
- R-676 LC. DERRYNANE x LC. H. G. ALEXANDER, F.C.C. 2.50
 A superior lawender hybrid blooming in the fall.
 Le. Derrynane (Le. Balkis x Lc. Princess Margaret). A strong growing plant producing large dark lawender flowers of very good form and heavy texture.

H. G. Alexander (Lc. Malock x Lc. Momus) This plant received a First Class Certificate at the Royal Horticultural Society for the quality of its flowers. Lovely lavender petals with small splash on tip. Large rose lip with yellow eyes.

R-679 BLC. XANTHELO x LC. LUMINOSA

We expect a very good yellow that will bloom in the late fall.

This cross will be particularly desirable for commercial growers.

It should bloom later than most yellows and furnish flowers for Halloween when yellows are scarce with some spreading into the month of December.

Blc. Xanthedo (Blc. Xanthea x Lc. Mrs. Medo). The blooms have heavy textured orange petals and sepals with a rose lip.

Lc. luminosa (C. Dowiana x L. tenebrosa) A hardy, good growing plant producing very large blooms. The flowers on this plant were of large size, good form, and heavy texture. The petals and sepals were reddish bronze while the lip was of a deep reddish purple. The blooming record on this plant shows 2 good 12/43 - 3 good 10/44 - 3 good 11/45 - 2 good 1/47 - 4 good 12/47.

R-680 LC. DERNA x LC. LUMINOSA 2.00
One of the best yellow hybrids blooming in the fall.
Lc. Derna (C. Dowiana, aurea x Lc. Nugget). This is one of our

Lc. Derna (C. Dowiana, aurea x Lc. Nugget). This is one of our best known yellow hybrids. The blooms are of large size, good form and heavy texture. Petals and sepals are yellow. The lip is spade type with a ruffled edge and colored a deep rose.

Lc. luminosa (Same as parent of R-679)

R-682 C. CHARYBDIS x BC. BRITISH QUEEN

We expect a tradionally English lavender hybrid here to bloom in the fall.

C. CHARYBDIS (C. Dinah x C. Chelsea)
Bc. British Queen (Bc. Digbyano-Mendelii x C. Lord Rothschild)

io. Essetit (to. Britansia x C. gigus). An August blooming plant having large blooms of good form and heavy texture. The petals and secols are pure with with #2mg white #1p having a drap purple tip. This is also a free fire fireting plant to the move & flowers on one spike.

Tages C. Mortonic, car. Elverment E C. Cilla, for a con-

O. Mente of may terbure and vary good from the stante profile ampairs of may terbure and vary good from the stante profile ampair of the stante of the stant

1. Clin (s. Marrisoniera w c. Ledy Voltef), pare thits siri a cinity

Brust I onle our vois

N-676 LC. HERBRING X LO. R. G. ALEXVIDER, F.C.C.
A superior develor byords blooming in two Fell.

ing paser producing large dies laverder thouse of very good form

end press accenta

d. G. alexander (Le. Malesh x Le. Mores) live plant received a First oldes Contillated at the Acyte and Acyte oldes of the dealing of the transfer of the Level petals with contil contillate of the large reseive with yellow again.

A-679 FEG. XAMMETA 2 No. 1.5 Milded A the call bloom to the lete fell.

We expect a very room policy that the plant to the lete fell motors.

The areas whit as particularly desired to conserved the formal to the most pellows are sense for the most fellowers are search to the most fellows are search which the most fellows are search which the most fellows are search which the most fellows.

Blue Merapodo (Blo. Manchea x Lo. Mar. Mouo). To blooms dave boavy

Lo. Incinosa (C. Fordana x'L. ten'strosa) a nardy, good growing slame proceeding very large blooms. The flowest on this pinch are of lucate stars, good form, and heart textures. The narries and double were weeking broken shift we lie was of a need redding; with. The blooming record on this shift shows a cook likes - 3 good 10/42 - 3 good 11/40 - 2 good 11/40 - 3 good 11/40 - 2 good 11/40 - 2 good 11/40 - 3 good 11/40 - 2 good 11/40 - 2 good 11/40 - 3 good 11/40 - 2 good 11/40 - 3 good 11/40 - 2 good 11/40 - 2 good 11/40 - 3 g

P-680 IO. ICRIA E IO . CHINGSA

Ode of the bast yellow hybride blooming in the Cail.

Io. Dorna (U. Devient, antes x Lo. Margers). This is che of our best known yellow hybride. The elected are of large attached from one newsy benchmar. Potals and sepale one yellow. The lip is spede

(LYG-E 30 smores as eracl required at

P-682 C. CHARTELLS X DG. HEITER DURING DEPORT OF THE SE PLOOF IN THE PROPERTY OF THE SE PLOOF IN

Heretan Cucen (Sc. Digbynno-Mendelle x C. 1ers Hoteschild)

R-697 L. PURPURATA, alba x L. PURPURATA, alba

C. PETALENA, alba x BLC. NANETTE, alba

R-706

2.50

1.50

This is a cross between two white with colored lip L. purpuratas. One plant blooms late in May and the other in early June. Each parent has white petals and sepals and the lip is deep purple.

L. purpurata, alba is the only species capable of producing white spring flowers with an intensely colored lip, Le. Canhamiana, alba (L. purpurata x C. Mossiae, Reineckiana) being the best known example. Very large and fast growing seedlings. This is a rare and unusual buy.

- R-704 LC. LUMINOSA, aurea x LC. LUMINOSA, aurea
 Lc. luminosa is a cross between L. tenebrosa and C. Dowiana, aurea.
 Both parents are lovely and unusual. Petals are yellow with lips of deepest purple. Flowering should extend throughout the winter.
- A fine white with colored lip to bloom in the fall.

 C. Petalena (C. Enid x C. Petersii). Heavy pure white petals and sepals, white lip with a rose tip and yellow eyes.

 Blc. Nanette (Blc. Everest x C. Annette). Heavy white petals and sepals with large fringed lip having a tiny splash of purple on tip.
- R-712 LC. H. G. ALEXANDER, F.C.C. x C. MOSSIAE, dark variety
 Lc. H. G. Alexander = Lc. Moloch x Lc. Momus

The F. C. C. variety is an October flowering plant with three blooms on a spike. The C. Mossiae parent has heavy dark sepals and petals, large lip and a spread of $8\frac{1}{2}$. This cross is expected to flower in the winter months. Fine.

R-720 BLC. MORNING SUN x BLC. COWAN 1.50

The Blc. Morning Sun parent is Blc. The Baroness x C. Fhid, alba. Characteristics of this parent are these: free winter flowering, leathery texture, huge lip, yellow color and great vigor. Blc. Gowan, (Blc. The Baroness x Lc. Penshurst) is of heavy texture and yellow in color. The season of this cross is expected to extend from fall through winter.

R-728 C. MONMOS x BC. WARNHAM BEAUTY, A. M., R. H. S.

The C. Monmos parent (C. Mossiae x C. Monarch) has a four year record of good and very good blooms in March.

Bc. Warnham Beauty, A.M., R.H.S., (Bc. Digbyano-Mossiae x C. Tityus) is winter flowering, having large sized heavy textured blooms. Lip is bright rose with ruffled edge. These seedlings were grown for flower production in February and March.

R-731 C. MONMOS x LC. NELSON 1.00

C. Monmos has lovely shaped lavender petals, rose lip and yellow eyes. Lc. Nelson (Lc. Windermere x C. Syros) has petals 3" wide. The very large bright rose lip is outlined with a tiny lavender border. Flowers in December. Very good blooms during the winter months are expected from this. This is a cross between two with colored lip 5. purpostes.
One playt blooms like in May and the owner a selly June. Each percent has white petals and supels are the only species aspecies aspecies aspecies at student dite.

L. purpostes, also is the only species aspecies at student dite appropriate of the selection. Deing the best most or when the colored inc. Commentees of the selection. This is a two and unusual buy.

安 生 株

20-504 Ed. LUMINOSA, sures ric. (LEMINOSA, carro)

lo. luminosa is a cruis bekasen L. temphose and C. Lowton, curro.

losa pointer as lovely and unusual. Petals are yellow with lips of

docade agrain. Flowering should extend throughout the states.

P-YOS C. PREMINE alba v alc. Mayarra, alba

A tipe white with colored by to bloom in the felt.

O. Petalone (C. Fait x C. Petarait). Heavy pure white potals and sepala,
white his with a cone tip and yellow or a.

Hic. Numette (Win. Everost x C. Amettal. Heavy white retails and sepala

R-712 LC. H. G. GLYKKETER, F.C.G. x C. MOJGLY, dark restory
Lv. L. C. Market - Le. Malors x Le. Makus

The P. C. C. verioty issen Osteber Chowsman plant with three blooms on a spile. The C. Hosmin party has heavy dark separa and potale. Importing the and a sprund of 547. This dense is conveted to flower in the states accept. The

H-750; BLC, POTEITH SUN x BIG, COMM

The Sic. so miss And parent is Ale. The December 3 C. Shid, alba. Characters attack this percent are the same of lowering. I a thought to the percent are the same of lowering. I a thought to the same of the sam

H-FRE (. 'MODERN' DE BOL WARRIAM HOLLEY, A. M., H. H. S.

The C. Moraca portent (C. Morains' M C. Monarch) into a four year record of good and very good blooms in Warch.

He. Warmann scauty, 1.M., R.H.d., (So. Digiyano-Mosains x C. Tityus)
is winter flowering, having large sized beavy textured blooms. Lip
is height cose with ruffled adge. These seedlings with grant for flow
the constron in Jebruary and March.

R-731 C. MONLOS K RO, MELSON

C. Montoo has lovely theped lavender potels, result; and yollow eyes.

Lo. Medeom (Lo. Mindermore w C. Syros) has petals 3" wide. The very
Longo bright result; is outlined with a very Lovender border. Florers
in locember. Very good blooms mains when months are expected
from this.

R-733 C. MOSSIAE WAGNERI x C. TRIANAE, Broomhill's variety

1.25

The C. Mossiae Wagneri is beautifully shaped because of its rounded petals. The lip is white with yellow center and the petals are pure white. It flowers in May.

C. Triange, Broomhill's var. is the parent of many fine pure white hybrids. It flowers in January or February.

This cross C. Trimos, alba has shown itself a vigorous grower. The pure white flowers should be most profuse in March and April.

R-738 C. KLEANORE, alba x C. HAROLD, alba

1.50

A lovely white with colored lip that will bloom in the late spring.

C. Eleanore (C. Hardyana x C. gigas, F.M.B.) is a large flower with heavy pure white petals and sepals and a lovely rose lip with yellow eyes.

C. Harold (C. gigas x C. Gaskelliana) Large flowers of fine shape and good substance. Petals and sepals are pure white. The lip is long and graceful with a deep rose tip and fringed with white. The throat has a bright yellow center.

R-739 C. LORANORE x C. HAROLD, alba

1.50

A spring blooming white with colored lip.

C. Loranore (C. Eleanore, alba x C. Lorna) A good growing plant producing lovely large flowers of good form and texture. The petals are pure white. The rose lip is long and graceful with a bright yellow center.

C. Harold (Same as parent of R-758.)

1.25

VICE C. MOESTAR WAGNERS X C. TRIANAR, Broombill's variety

The C. Mossins Wagneri Le besutifully shaped because of its rounded betals. The lip is white with yellow conter and the petdic are pure

t. Tribune, Libertil's yer. is the jerout of sany fine pure white

This eross U. Trimes, the has shown itself a rigorous grower. The

007 0

C. ILLANDER, AREA RECOLL, alba

A lovely with volored like that will become in the title spring.

c. Plasmore (C. Nordyens & C. gires, P.M.P.) it e large flower with .

the state of the s

R-739 C. LORANOHE & C. HAROLD, clos

6.16.

A spring blooming white with colored lip.

C. Lorence (U. M. canore, tibe & C. Loren) A good graving plant producing levely large flow as of good four tester. The petals are pure white. The reaching is long and graceful with a bright vellow content.